

**SHINE
A LIGHT**
on my
**CATARACT SURGERY
EXPERIENCE
with OMIDRIA**



*OMIDRIA helped me have less pain
during and after surgery.**

*Inspired by real patients.

USE

OMIDRIA® (phenylephrine and ketorolac intraocular solution) 1% / 0.3% is a prescription medication used during cataract surgery. It helps the black part in the center of your eye (pupil) stay open (dilated) during cataract surgery and decreases eye pain after surgery. OMIDRIA has been proven safe and works well in adults and children.

IMPORTANT SAFETY INFORMATION

OMIDRIA is mixed with surgical solution that is used by your doctor during cataract surgery. One medication in OMIDRIA (phenylephrine) may increase blood pressure if levels get too high in the body. Because of how it is given, this risk may be lower when used in the eye.

**Please see the Full Important Safety Information on page 7
and the Full Prescribing Information for OMIDRIA at
www.omidria.com/prescribinginformation.**



**SCAN TO DISCOVER
MORE ABOUT OMIDRIA.**



OMIDRIA®

(phenylephrine and ketorolac
intraocular solution)
1% / 0.3%

Cataract surgery



*Knowing how to prepare before, during, and after surgery made all the difference.**

*Inspired by real patients.

What is a cataract?

A cataract can occur when the natural lens of the eye becomes cloudy due to age, trauma, a side effect of some medications, or if the cataract is present at birth.

Cataract surgery is a safe and common surgery in which the cataract is removed and replaced with an artificial lens.

Cataract surgery is performed by a specially trained eye doctor called an ophthalmologist.



Cataract surgery checklist

Talking to your doctor about how to prepare can help you have a more comfortable cataract surgery experience. Here are some questions to ask:

Before Surgery

- What is an intraocular lens, and what kind of intraocular lens may be right for me?
- Which medications will I need to take before my surgery?
- Will I need to arrange for someone to drive me home after my surgery?
- Do I have any medical conditions or other risk factors that could make cataract surgery more difficult?

During Surgery

- Which medications will I receive during surgery?
- How long will my cataract surgery take?
- What can I do to ensure the best cataract surgery experience?

After Surgery

- What can I do to keep my eye healthy after surgery?
- Which medications will I need after surgery?
- How long will it be before my vision improves?

This checklist provides common questions. Consult with your doctor about your specific condition.

Did you know?



~95% of people who had cataract surgery were satisfied with the results.

SHINE A LIGHT ON

How OMIDRIA can help *during* and *after* cataract surgery



OMIDRIA[®]
(phenylephrine and ketorolac
intraocular solution)
1% / 0.3%



*I'm glad I talked
to my eye doctor
about OMIDRIA.**

*Inspired by real patients.

OMIDRIA is a medicine that is added to the solution that surgeons routinely use during cataract surgery.

OMIDRIA can help you and your surgeon, both during and after your surgery.




OMIDRIA is the only FDA-approved combination medication used during surgery proven to **help your pupil stay dilated (open)**. This helps your surgeon see into your eye better.



OMIDRIA contains a nonsteroidal anti-inflammatory drug (NSAID), which **helps to control inflammation, swelling, and pain** both during and after surgery.

With OMIDRIA, you are **50% more likely to be pain free up to 12 hours after surgery.**



OMIDRIA can make cataract surgery a more comfortable experience

LESS PAIN DURING AND AFTER SURGERY

LESS NEED FOR EYE DROPS AFTER SURGERY



LESS NEED FOR PAIN MEDICATIONS DURING AND AFTER SURGERY

LESS INFLAMMATION DURING AND AFTER SURGERY



SCAN TO SHINE A LIGHT ON THE BENEFITS OF OMIDRIA.

IMPORTANT SAFETY INFORMATION (CONTINUED)

You should not receive OMIDRIA if you are allergic to any of its ingredients.

Before receiving OMIDRIA, tell your doctor if you:

- have a sensitivity or allergy to aspirin, painkillers or other nonsteroidal anti-inflammatory drugs (NSAIDs); or
- have a history of asthma; or
- are pregnant or breast-feeding, think that you may be pregnant, or are planning to have a baby

Tell your doctor about all medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements.

Please see the **Full Important Safety Information on page 7** and the **Full Prescribing Information for OMIDRIA at www.omidria.com/prescribinginformation**.

SHINE A LIGHT ON

OMIDRIA: The only FDA-approved combination medication of its kind



*I could see everything after cataract surgery, including my grandchild's smile.**

*Inspired by real patients.



OMIDRIA is the only combination medication approved by the US Food and Drug Administration (FDA) to help keep your pupil open during cataract surgery.



Other medications used for this are called **compounded products**, which means they may be made by a pharmacist in a compounding pharmacy.



Compounded products **don't go through the same tests for safety**, strength, and quality as medications that are approved by the FDA.



The FDA and US Department of Health and Human Services **recommend using an FDA-approved treatment** versus a compounded one.

Ask your cataract surgeon about how OMIDRIA may help you have a better surgery experience.



USE

OMIDRIA® (phenylephrine and ketorolac intraocular solution) 1% / 0.3% is a prescription medication used during cataract surgery. It helps the black part in the center of your eye (pupil) stay open (dilated) during cataract surgery and decreases eye pain after surgery. OMIDRIA has been proven safe and works well in adults and children.

IMPORTANT SAFETY INFORMATION

OMIDRIA is mixed with surgical solution that is used by your doctor during cataract surgery. One medication in OMIDRIA (phenylephrine) may increase blood pressure if levels get too high in the body. Because of how it is given, this risk may be lower when used in the eye.

You should not receive OMIDRIA if you are allergic to any of its ingredients.

Before receiving OMIDRIA, tell your doctor if you:

- have a sensitivity or allergy to aspirin, painkillers or other nonsteroidal anti-inflammatory drugs (NSAIDs); or
- have a history of asthma; or
- are pregnant or breast-feeding, think that you may be pregnant, or are planning to have a baby

Tell your doctor about all medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements.

The most common side effects of OMIDRIA include:

- inflammation inside the front part of the eye
- increased pressure inside the eye
- formation of cloudy scar tissue behind a lens implant
- eye irritation or discomfort

You may also be sensitive to light after being treated with OMIDRIA.

Tell your doctor if you have any side effects that bother you or that do not go away. These are not all the possible side effects of OMIDRIA. Call your doctor for medical advice about side effects. You may report side effects to the FDA at 1-800-FDA-1088.

Please see the Full Prescribing Information for OMIDRIA at www.omidria.com/prescribinginformation.



OMIDRIA®

(phenylephrine and ketorolac
intraocular solution)
1% / 0.3%

Questions to ask your doctor

- Is OMIDRIA an appropriate option for me?
- What are the possible side effects of OMIDRIA?
- Is OMIDRIA covered by my insurance?

OMIDRIA[®]Assure

SUPPORT AT EVERY STEP

Ask your healthcare professional about financial or patient assistance available through OMIDRIAAssure for eligible patients who are

- Commercially Insured*
- Government Insured*
- Uninsured
- Underinsured

*Based on your Medicare or commercial plan selection, your coverage may require a copay for OMIDRIA.

IMPORTANT SAFETY INFORMATION (CONTINUED)

The most common side effects of OMIDRIA include:

- inflammation inside the front part of the eye
- increased pressure inside the eye
- formation of cloudy scar tissue behind a lens implant
- eye irritation or discomfort

You may also be sensitive to light after being treated with OMIDRIA.

Tell your doctor if you have any side effects that bother you or that do not go away. These are not all the possible side effects of OMIDRIA. Call your doctor for medical advice about side effects. You may report side effects to the FDA at 1-800-FDA-1088.

Please see the Full Important Safety Information on page 7 and the Full Prescribing Information for OMIDRIA at www.omidria.com/prescribinginformation.

 **Rayner**

Rayner, the Rayner logo, OMIDRIA, the OMIDRIA logo, and OMIDRIAAssure are proprietary marks of Rayner.

© 2022 Rayner Surgical Inc. or its affiliates, all rights reserved. EC 2022-46 US 04/22



OMIDRIA[®]

(phenylephrine and ketorolac
intraocular solution)
1% / 0.3%